


TF M34W380V 34/120W IP42  
 380V~ 50/60Hz  
 CL. B 1300/1550RPM  
 Teddington Tel +33(0)141477171 www.teddington.fr



SPECIFICATION	
MOTOR	Shaded pole motor
MOTOR TYPE	
VOLTAGE/FREQUENCY	380V 50Hz
INPUT POWER	120W
CURRENT	0.50A
SPEED	1300RPM on fan blade φ 300 / 28°
ROTATION	CCW (looking towards the shaft)
AIRFLOW DIRECTION	SUCKING

MOTOR PROTECTION	Thermal protected
INSULATION CLASS	B
PROTECTION CLASS	IP 42
BEARINGS	Sleeve bearings
LUBRICATING OIL	PERMAWICK 284#
ELECTRICAL CONNECTION	VDE 3x 0.5mm <sup>2</sup> lead wire 470-530mm free length
BRACKET	/
FAN BLADES	φ 300 / 28°

REV.	DESCRIPTION	APPROVED	DATE	DECIMAL	TOLERANCE	SIGN	DATE	TITLE
01	To customer			X	± 0.5	DRN.BY	NOKEYLEE	FAN MOTOR 34W(380)
				X.X	± 0.25	CHD.BY	ANSON	
				X.XX	± 0.15	ENG.BY		
				ANGLE	± 3°	APP.BY		



A4  
 SCALE:  
 SHEET: 12 of